

PLAN NOTES:

- 1. THE PURPOSE OF THIS PLAN IS TO PROPOSE AN ADDITION TO THE EXISTING HOUSE, RELOCATE THE EXISTING SEPTIC TANK AND IS TO BE FILED AS PART OF AN APPLICATION
- 2. WETLAND RESOURCES DELINEATED BY WILLIAMS & SPARAGES, LLC ON 12/5/2022.
- 4. TOPOGRAPHIC FEATURES SHOWN ARE THE RESULT OF AN ACTUAL ON-THE-GROUND

1. CONCRETE: 4,000 PSI MINIMUM AFTER 28 DAYS. DESIGN CONFORMS WITH 310 CMR, SECTION 15.00 DEP TITLE 5 REGS FOR SEPTIC TANKS FOR A NOTICE OF INTENT WITH THE BOXFORD CONSERVATION COMMISSION. 3. ALL REINFORCEMENT PER ASTM C1227. 4. TEES AND GAS BAFFLE SOLD SEPARATELY. 5. TONGUE AND GROOVE JOINT SEALED WITH BUTYL RESIN. 3. ELEVATIONS BASED ON AN ASSUMED DATUM. 6. IF COVER EXCEDS 4 FEET, HEAVY DUTY TANK REQUIRED. ALSO AVAILABLE IN AASHTO HS-20 LOADING. FIELD SURVEY BY WILLIAMS & SPARAGES, LLC. 5. ABUTTER INFORMATION TAKEN FROM THE TOWN OF BOXFORD ASSESSORS GIS WEBSITE.